

# DMT10600T070\_32WTZA

7.0 Inches, 1024xRGBx600, 16.7M Colors, Android LCM



## Record of Revision

Revise Date	Content
2015-04-10	First Edition

- **Core Board**

Item	Parameter
CPU	1.2GHz Dual Core
RAM	1GB DDR3
Flash	4GB NAND Flash

- **Voltage & Current**

Item	Conditions	Min	Typ.	Max	Unit
Power Voltage	-	6.0	12.0	42.0	V

Recommended power supply: 12V 1.5A DC

- **Reliability Test**

Item	Conditions	Min	Typ.	Max	Unit
Working Temperature	60%RH at 12V voltage	-20	25	70	°C
Storage Temperature	-	-30	25	85	°C
Working Humidity	25°C	10%	60%	90%	RH
Protective Paint	-	-	None	-	-

- **Interface**

Item	Conditions	Min	Typ.	Max	Unit
Interface		8N1, RS232			
Socket		8Pin_2.54mm			
USB		Yes (USB2.0, FAT32 file format)			
SD slot		Yes (FAT32 file format)			

- **Peripherals**

Peripherals Acquired	
Peripherals	Capacitive touch screen, WIFI, Ethernet, Analog Video, Speaker

- **Packing Capacity & Dimension**

Dimension	
Dimension	190.5 (W) × 105.4 (H) × 28.0(T)mm

